A. Torres E. Gómez-Gil A. Vidal O. Puig T. Boget M. Salamero

Gender differences in cognitive functions and influence of sex hormones

Institut Clínic de Neurociencias Servicio de Psiquiatría y Psicología Clínica Hospital Clínic Universitat de Barcelona Barcelona (Spain)

Objective. To review scientific evidence on gender differences in cognitive functions and influence of sex hormones on cognitive performance.

Method. Systematical search of related studies identified in Medline.

Results. Women outperform men on verbal fluency, perceptual speed tasks, fine motor skills, verbal memory and verbal learning. Men outperform women on visuospatial ability, mathematical problem solving and visual memory. No gender differences on attention and working memory are found. Researchers distinguish four methods to investigate hormonal influence on cognitive performance: a) patient with hormonal disorders; b) neuroimaging in individuals during hormone administration; c) in women during different phases of menstrual cycle, and d) in patients receiving hormonal treatment (idiopathic hypogonadotropic hypogonadism, postmenopausal women and transsexuals). The findings mostly suggest an influence of sex hormones on some cognitive functions, but they are not conclusive because of limitations and scarcity of the studies.

Conclusions. There are gender differences on cognitive functions. Sex hormones seem to influence cognitive performance.

Key words:

Sex differences. Cognitive performance. Intelligence. Transsexualism. Sex hormones.

Actas Esp Psiquiatr 2006;34(6):408-415

Diferencias de género en las funciones cognitivas e influencia de las hormonas sexuales

Objetivo. Revisar las evidencias científicas sobre las diferencias cognitivas en función del género y la posible

Correspondence: Anna Torres Giménez Institut Clínic de Psiquiatría y Psicología Clínica Hospital Clínic Villarroel, 70 08035 Barcelona (Spain) E-mail: annatorresgim@yahoo.es influencia de las hormonas sexuales en el rendimiento cognitivo.

Método. Se realizó una búsqueda sistemática de la bibliografía a través del sistema Medline sobre artículos relacionados con el tema.

Resultados. Las mujeres presentan un mayor rendimiento con respecto a los hombres en fluencia verbal, velocidad perceptiva, habilidad motora fina, tareas de memoria verbal y aprendizaje verbal. Los hombres superan a las mujeres en tareas visuoespaciales, resolución de problemas matemáticos y memoria visual. No se encuentran diferencias en función del género en atención y memoria de trabajo. Los estudios que evalúan la influencia de factores hormonales se han realizado en diversos grupos: a) pacientes con trastornos hormonales; b) pacientes sometidos a neuroimagen tras la administración hormonal; c) en mujeres sanas en función del ciclo menstrual, y d) en pacientes sometidos a tratamiento hormonales (hipogonadismo hipogonadotrófico, mujeres posmenopáusicas y trastorno de la identidad de género). Estos estudios en su mayoría encuentran una influencia de los niveles hormonales en diversas capacidades cognitivas, aunque los resultados no son del todo concluyentes por las limitaciones y escasez de estos estudios.

Conclusiones. Existen diferencias cognitivas en función del género y las hormonas sexuales parecen ejercer una influencia en estas funciones cognitivas.

Palabras clave:

Diferencias de género. Rendimiento cognitivo. Inteligencia. Transexualidad. Hormonas sexuales.

INTRODUCTION

Different studies have demonstrated gender differences in aspects such as personality¹, response to stress², vulnerability to develop certain psychiatric disorders³ and cognitive functions. A review of the studies that have evaluated cognitive differences in gender function has been done in this article and the involvement of sex hormones in these differences has been reviewed parallelly.

GENDER DIFFERENCES IN COGNITIVE FUNCTIONS

Cognitive performance areas in which gender differences have been most widely studied are intelligence and memory.

Gender differences in intelligence

Several studies that have evaluated the differences in general intelligence between men and women have not found statistically significant differences between men and women in relationship with the Total Intelligence Quotient (measured according to the WAIS scales)^{4,5}. However, this finding is not surprising since the Intelligence Quotient obtained from most of the general intelligence scales, such as the WAIS or Stanford-Binet battery, were specifically constructed to avoid these differences between genders, as the tests -or items- forming the scales are balanced from one gender to the other. On the contrary, they do differ in the deviations of the distributions according to gender. Thus, greater dispersion in the distribution of intelligence in the case of men has been found^{6,7}. Regarding specific skills⁸, numeric aptitude (only the tasks of resolving mathematic problems) and spatial aptitude are better in men⁹⁻¹⁴. On the contrary, verbal fluency, fine motricity and perceptual speed have been found to be higher in women^{12,15-17}. However, in recent years, studies indicate that the magnitude of the differences found in the verbal fluency or mathematical problem solving tasks is moderate to small while that found in the more complex tasks of spatial aptitude is elevated ^{13,18,19}. Regarding spatial aptitude, the meta-analysis conducted by Linn and Petersen (1985) found differences in all the types of tasks studied. These were ordered from lower to greater magnitude of the differences: visualization (skill to use analytic strategies to manipulate spatial information), spatial perception (orientation of a body in space) and mental rotation (speed and accuracy to rotate figures in two or three dimension spaces)¹³.

Gender differences in memory

Memory is a wide concept that refers to coding processes and recall of information. The studies conducted with reference to gender differences in memory have basically focused on the distinction between verbal vs. visuospatial memory and on working memory.

Gender differences in memory

The findings on gender differences in verbal, visuospatial and working memory are detailed in the following.

 Verbal memory. Several studies have demonstrated greater performance in women in certain tasks that involve verbal memory -tasks of verbal learning, associated verbal pairs or logical memory^{15,20-23}.

- Visuospatial memory. Gender differences in favor of men in the retention of spatial information²³⁻²⁵ and in the reproduction of previously presented stimuli have been found²⁰. There is controversy regarding remembering the site of objects; some authors find no differences²⁵ while others find a greater performance in women^{26,27}.
- Working memory. No differences were found in the tasks that imply verbal working memory, such as the WAIS Digit subtest immediate repetition of a series of numbers in the same order in which they are presented (direct digits) or in inverse order (inverse digits) based on gender^{28,29}.

INFLUENCE OF HORMONE FACTORS IN GENDER DIFFERENCES FOUND IN COGNITIVE PERFORMANCE

Gender differences in cognitive performance have been demonstrated since childhood, however these differences are not stressed significantly until puberty³⁰. This fact, together with the findings that relate the action of estrogens on central nervous system structures related with memory, suggest an influence of the hormone factors in the differential cognitive performance between men and women with high probability.

The influence of hormone factors on the cognitive functions has been studied both based on the organizing effects of the sex hormones on the CNS and on the activating effects. Organizing effects refer to the permanent structural and functional changes in the brain produced during the fetal development stage when the brain is exposed to the different sex hormone levels. Activating effects refer to the changes that these induce from the pubertal stage, in which there is a considerable increase of the hormone levels. These levels act on the brain structures organized by the sex hormones during the prenatal stage. The paradigms used for the study of the cognitive differences based on gender are presented in the following.

Cognitive performance study in women with congenital hormone disorders

Different authors have studied the influence of hormone factors in cognitive functions in individuals who were exposed to abnormal levels of sex hormones during the prenatal stage, such as women with congenital adrenal hyperplasia or women affected by Turner syndrome.

Congenital adrenal hyperplasia is a congenital disorder leading to excessive exposure and production of adrenal

59

Table 1 Cognitive differences found in different studies based on gender			
Cognitive performance	Findings	Authors	
Intelligence			
General intelligence	No differences are found	Weschler, 1958; Turner et al., 1977	
Distribution of intelligence	Greater dispersion in men	Brody, 1992	
Verbal fluency	Greater in women	Feingold, 1988; Halpern, 1992	
Perceptual speed	Greater in women	Feingold, 1988; Mann et al., 1990	
Fine motricity	Greater in women	Hall y Kimura, 1995	
Mathematical aptitude	Greater in men	Gouchie et al., 1991;	
Spatial aptitude	Greater in men	Voyer et al., 1995; Collins et al., 1997; Feingold, 1988; Mann et al., 1990 y Linn et al., 1985	
	Greater gradient in mental rotation > spatial > visualization		
Memory			
Verbal memory	Greater in women	Mann et al., 1990; Ivison et al., 1977; Bleecker et al., 1988; Basso et al., 2000; Lewin et al., 2001	
Visuospatial memory	In general, greater in men	lvison et al., 1977; Lewin et al., 2001; Kail et al., 1977; Postma et al., 1998	
Working memory	No differences have been found	Makarek et al., 1993; Makarek et al., 1995	

androgens during prenatal development. Several studies that evaluated cognitive performance in women with adrenal hyperplasia in adult age have found superior performance in visuospatial^{31,32} and inferior performance in verbal tasks³³ than in a control group of unaffected women. That is, these women have developed a pattern of cognitive performance that is more similar to that found in the masculine population. In a recent study, better performances have been found in these women in specific target-like visuospatial tasks, but not in those of mental rotation type³⁴. This suggests that the visuospatial tasks of mental rotation are influenced by exposure to androgens in a moment subsequent to the prenatal development, perhaps in the first six months of post-natal life³⁴.

In women affected by Turner syndrome (45X0), ovarian development occurs normally until the 4th-5th month of pregnancy, after which this prematurely undergoes involution. In studies on cognitive performance in women with Turner syndrome, performance within normality has been found in verbal tasks and decreased performance in visuospatial tasks³⁵⁻⁴⁰, a performance that does not improve with androgen administration in adolescence⁴¹. Furthermore, inferior performances in tasks that imply attention and working memory^{38,40}, susceptible to improvement with the administration of estrogens42, numeric aptitude^{35,39,40,43} and motor skills (both gross and fine motricity)⁴⁴ have been found. This performance profile has been explained by the lack of early exposure to androgens that is believed to be the development mechanism of visuospatial skills45.

Cognitive performance studies and parallel assessment of neuroimagng after hormone administration

Greater activation has been found in neuroimaging studies during neuropsychological task performance in temporal and parietal cortical areas in young and post-menopausal women who receive estrogen treatment⁴⁶⁻⁴⁸. These findings are related with increased blood perfusion and glucose metabolism in certain brain regions related with estrogen administration⁴⁹. They suggest a favorable effect of these due to their action on cerebral structures related with memory and other cognitive functions. Similar studies also find an increase in men who receive androgen treatment in the activation predominately of the frontal brain regions⁵⁰. The results of these types of studies, however, are not conclusive due to the reduced number of studies and the differences in methods used. Furthermore, the clinical repercussion of these findings is doubtful.

Cognitive performance studies based on menstrual cycle

The objective of these studies is to evaluate the differences in cognitive performance based on variation of the estrogen and progesterone levels produced during the menstrual cycle. The starting hypothesis would be that during the phase having the greatest increase in estrogen levels, performance in verbal tasks would improve and, on the contrary, performance in visuospatial tasks would be-

Studies	Results	Authors
Studies in patients with congenital hormone disorders		
Women with congenital adrenal hyperplasia	Improvement of visuospatial tasks. Worsening of verbal tasks (performance pattern closest to that of the masculine population)	Perlman et al., 1973; Resnick et al., 1986; Helleday et al., 1994
Women with Turner syndrome	Improvement of target, but not mental rotation, task Worse performance in visuospatial and visuperceptive tasks Worse performance in attention and working memory Worse performance in arithmetic Worse performance in motor skills	Hines et al., 2003 Downey et al., 1991; Bender, 1993; Reiss et al., 1993; Ross et al., 1995 Rovet et al., 1990; Rovet et al., 1993 Bruandet et al., 2004 Salbenblatt et al., 1989
Studies on cognitive performance and parallel evaluation of neuroimaging after hormone administration		
Studies in young and post-menopausal women	Greater activation in temporal and parietal cortical areas in women who receive estrogen treatment	Shaywitz et al., 1999; Maki et al., 2000; Greene et al., 2000
Studies of blood perfusion in men with androgenic treatment	Greater activation of frontal brain regions	Azad et al., 2003
Cognitive performance studies based on menstrual cycle		
Elevated estrogen levels	Greater performance in verbal memory Greater performance in verbal fluency Worse performance in visuospatial and visuoperceptive tasks Worse performance in visual memory Some studies do not find any relationship	Maki et al., 2002; Drake et al., 2000; Rosenberg, 2002; Phillips, 1992 Maki et al., 2002; Drake et al., 2000 Drake et al., 2000 Gordon et al., 1993
Cognitive performance studies in patients with hormone treatment		
Men with hypogonadotropic hypogonadism Post-menopausal women Patients with gender identity disorders	No improvement of performance in spatial tasks after androgen administration Observational studies: improvement in verbal tasks and verbal memory after hormone replacement therapy administration	Hier, 1982 Hogervorst et al., 2000; Leblanc et al., 2001;
	Controlled studies: different results Increased risk of cognitive deterioration	Hogervorst et al., 2000; Leblanc, 2001 Shumaker et al., 2003; Rapp et al., 2003
Man to woman transsexuals	Improvement in verbal memory	Miles et al., 1998
Woman to man transsexuals	Improvement in visuospatial tasks	Van Goozen et al., 1994; Van Goozen et al., 1995; Slabbekorn et al., 1999

come worse. As a whole, the results of these types of studies are contradictory. Several authors find better performance in implicit verbal memory⁵¹, delayed verbal memory⁵², verbal fluency⁵¹, verbal working memory⁵³ and verbal learning⁵⁴ in the intermediate period of luteal phase (in which the estradiol and progesterone levels are higher) in regards to the menstrual phase (in which the lowest sex hormonal levels are found). On the contrary, in the menstrual phase and at the onset of the follicular phase (in which low sex hormone levels are found) performance in specific perceptual tasks, of mental rotation, and in immediate and delayed visual memory improve^{51,52}. Some studies have found no type of relationship^{53,55}. There is a study that has also evaluated the influence of testosterone levels in verbal fluency, finding a positive relationship⁵² and others conducted in our country that do not find alterations in cognitive performance in pregnant and puerperal women⁵⁶. The criticism of most of these studies has been based on the fact that *a*) they do not consider progesterone levels; *b*) they do not adequately choose the most sensitive menstrual cycle phase to confirm the hypothesis or not; *c*) they include samples that are too small, or *d*) they lack protocolization of the neuropsychological tests chosen.

Cognitive performance studies in patients under hormone treatment

Studies in men with hypogonadotropic hypogonadism

Lower performance has been found in studies in men with hypogonadotropic hypogonadism in visuospatial tasks regarding control subjects or males with post-pubertal acquired hypogonadism⁵⁷. Administration of androgen replacement therapy in these patients did not improve performance in these spatial tasks. This suggests the role of the organizing effects of the androgens on the cerebral regions involved in spatial functions.

Studies in postmenopausal women using estrogen replacement therapy

There is an extensive number of studies that evaluate the effects of estrogen replacement therapy on cognitive performance and, more specifically, on the prevention of cognitive deterioration in the woman. The most recent meta-analyses have found a selective improvement after the administration of hormone replacement therapy in abstract reasoning, data processing, verbal memory, attention and motor speed in healthy⁵⁸ and symptomatic⁵⁹ post-menopausal patients and in patients who are menopausic due to surgery⁶⁰. In general, a greater association has been found in the observational studies⁵⁸⁻⁶⁰. However, in a controlled and randomized study, Shumaker et al. (2003) found surprising results that contrast with the previous ones⁶¹. The results suggest that the risk of dementia was two times greater in the group of women who used hormone replacement therapy in comparison with the group of women who used placebo, although the absolute risk was very small. In the same way, replacement therapy with estrogens plus progestins did not prevent mild cognitive deterioration⁶¹, and no beneficial effect of the administration of estrogens plus progestins was found on cognitive performance (measured according to the Mini-Mental State Examination) regarding the placebo62.

In summary, although the observational studies have found a relationship between hormone replacement treatment and prevention of cognitive performance, controlled and randomized trials have provided more different results. In fact, the study having the greatest significance published up to now, that of Shumaker et al. (2003), not only did not find a protector effect on cognitive performance but also found an increased risk of cognitive deterioration⁶¹.

Studies in women and men with gender identity disorder under masculizing or feminizing hormone treatment

A recent line of investigation has focused on the study of cognitive performance of patients with sexual identity disorder before and after administration of sex reassignment hormone therapy. Gender identity disorder refers to a discomfort with one' own biological gender and with a greater identification with the other gender. This entails significant psychological and social repercussions⁶³. Man to woman transsexual hormone treatment is based on the administration of anti-androgens plus estrogens and that of woman to man transsexual on the administration of androgens. The studies conducted are detailed in the following.

Van Goozen et al. (1994) conducted a preliminary study with 22 woman to man transsexual patients, who were administered a battery of neuropsychological tests that measured verbal and visuospatial functions prior to the initiation of androgen hormone therapy and at three months of its onset⁶⁴. These authors found that the administration of androgens in the woman to man transsexual group significantly improved spatial aptitude tasks and worsened verbal fluency tasks. In another study, the same author replicated the previous findings of the beneficial effect of hormone treatment in the man to woman transsexual group with two groups of patient (35 woman to man transsexuals and 15 man to woman transsexuals). On the contrary, worse performance was found in the visuospatial tasks in the man to woman transsexual group although verbal fluency improved after hormone treatment⁶⁵. Miles et al. (1998) studied the effect of hormone treatment administration in memory tasks in a sample of 59 man to woman transsexuals⁶⁶. These authors found that the transsexual patients who received estrogen treatment improved in verbal learning tasks (verbal paired associates of the Weschler Memory Scale), but not in other memory tests or in verbal fluency or spatial aptitude tasks in regards to the group who did not receive treatment. Slabbekorn et al. (1999), from the same research group of Van Goozen (1994), replicated to the same study again with 20 man to woman transsexuals and 25 woman to man transsexuals before and at three months of the hormone treatment⁶⁷. To do so, they subjected these patients to cognitive tasks that have demonstrated equal performance based on gender (verbal reasoning), tasks in which greater performance has been demonstrated in men (mental rotation in two dimensions, mental rotation in three dimensions, and a visualization task), and to tasks in

which better performance is found in women (verbal fluency, fine motricity and perceptual speed). Androgen administration in woman to man transsexuals increased performance in spatial aptitude tasks, and did not modify performance in the rest. On the contrary, hormone treatment in transsexuals from man-to-woman (administration of estrogens plus anti-androgens) worsened performance in visuospatial tasks, although to a lesser degree. The authors suggest that this could be due to the organizing effects of the sex hormones on the brain structures related with spatial aptitude.

As a whole, these studies in transsexuals suggest that hormone treatment modifies some cognitive functions. Specifically, androgen treatment seems to improve visuospatial capacity and estrogen plus anti-androgen treatment improves verbal capacities. However, the results must be replicated in similar studies to confirm these findings.

CONCLUSIONS

There is contrasted scientific evidence on the differences in gender based cognitive capacities. Women exceed men in verbal tasks, perceptual speed and fine motor skill and also in memory and verbal learning tasks. Men exceed women in visuospatial tasks and mathematical problem solving and in visual memory tasks. No clear differences have been found for gender in tasks that imply attention and working memory. The studies that try to clarify the influence of sex hormones on cognitive capacitates have demonstrated differences based on hormone levels, although, as a whole, the results should be cautiously interpreted due to their limitations. A large part of them have been done with a reduced subject sample. Many did not adequately control the type of hormone treatment administered (estrogen, androgen, estrogen plus progestin, estrogens plus anti-androgens, etc.). Several did not control the test-retest effect. Finally, few studies controlled potential confounding variables (educational level, intelligence quotient, mood state). In spite of this, as a whole, these studies suggest that sex hormones are capable of modifying cognitive capacities. Given that the modifications are much clearer in subjects exposed to pathological hormone levels during fetal and/or prepubertal development in regards to those studies that evaluate hormone influence in adult subjects (after puberty), these results suggest that sex hormones have a permanent organizing effect on brain structures that support the cognitive functions during brain development.

REFERENCES

 Costa JR PT, Terracciano A, McCrae RR. Gender differences in personality traits across cultures: robust and surprising findings. J Pers SocPsychol 2001;81:322-31.

- Stroud LR, Salovey P, Epel ES. Sex differences in stress responses: social rejection versus achievement stress. Biol Psychiatry 2002;52:318–27.
- Seeman MV. Psychopathology in women and men: focus on female hormones. Am J Psych 1997;154:1641-7.
- Weschler D. The measurement and appraisal of adult intelligence. Baltimore: Williams and Wilkins, 1958.
- Turner RG, Willerman L. Sex differences in WAIS item performance. J Clin Psychol 1977;33:795-7.
- 6. Willerman L. The psychology of individual and group differences. San Francisco: Freeman and Co, 1978.
- 7. Brody N. Intelligence. San Diego: Academic Press, 1992.
- 8. Carroll JB. Educational Psychology in the 21est century. Educ Psychol 1993;28:90–5.
- 9. Voyer D, Voyer S, Bryden M P. Magnitude of sex differences in spatial abilities: a metaanalysis and consideration of critical variables. Psych Bull 1995;117:250-70.
- Gouchie C, Kimura D. The relationship between testosterone levels and cognitive ability patterns. Psychoneuroendocrinology 1991;16:323-34.
- Collins DW, Kimura D. A large sex differences on a two-dimensional mental rotation task. Behav Neurosci 1997;111:845-9.
- 12. Feingold A. Cognitive gender differences are disappearing. Am Psychol 1988;43:95-103.
- Linn M C, Petersen N. Emergence and characterization of sex differences in spatial ability: a metaanalysis. Child Dev 1985; 56:1479-98.
- 14. Geary DC. Sexual selection and sex differences in mathematical abilities. Behav Brain Sci 1996;19:229-84.
- Mann VA, Sasanuma S, Sakuma S, Masaki S. Sex differences in cognitive abilities: a cross-cultural perspective. Neuropsychologia 1990;28:1063-77.
- Halpern DF. Sex differences in cognitive abilities. New Jersey: Erlbaum, 1992.
- Hall JA, Kimura D. Sexual orientation and performance in sexually dimorphic motor tasks. Arch Sex Behav 1995;24:395-407.
- Hyde JS, Linn MC. Gender differences in verbal ability: a metaanalysis. Psychol Bull 1988;104:53-69.
- Hyde JS, Fennema E, Lamon SJ. Gender differences in mathematics performance: a metaanalysis. Psychol Bull 1990;107:139-55.
- Maccoby EE, Jacklin CN. The psychology of sex differences. Stanford: Stanford University Press, 1974.
- Ivison DJ. The Weschler Memory Scale: preliminary findings toward an Australian standardisation. Aust Psychol 1977;12:303–12.
- 22. Bleecker M, Bolla-Wilson K, Agnew J, Meyers D. Age related sex differences in verbal memory. J Clin Psychol 1988;44:403-11.
- 23. Basso MR, Harrington K, Matson M, Lowery N. Sex differences on the WMS-III: findings concerning verbal paired associates and faces. Clin Neuropsychol 2000;14:231-5.
- Lewin C, Wolgers G, Herlitz A. Sex differences favoring women in verbal but not in visuospatial episodic memory. Neuropsychology 2001;15:165-73.
- 25. Kail RV, Siegel AW. Sex differences in retention of verbal and spatial characteristics of stimuli. J Exp Child Psychol 1977;23: 341-7.
- 26. Postma A, Izendoorn R, de Haan EH. Sex differences in object location memory. Brain Cogn 1998;36:334-45.
- 27. Silverman I, Eals M Sex differences in spatial abilities: evolutionary theory and data. In: Barkow JH, Cosmides L, editors. The

adapted mind: evolutionary psychology and the generation of culture. London: Oxford University Press, 1992; p. 533-49.

- 28. Barnfield AM. Development of sex differences in spatial memory. Percept Mot Skills 1999;89:339-50.
- Makarek K, Persinger M. Bilingual men but not women display verbal memory weaknesses but not figural memory differences compared to monolinguals. Pers Individ Diff 1993;15:531-6.
- Makarek K, Persinger M. Complex partial epileptic like signs and differential visual search times for normal men and normal women: implications for functional lateralization. Pers Individ Diff 1995;18:643-51.
- Perlman SM, Cognitive abilities of children with hormone abnormalities: screening by psychoeducational tests. J Learn Disabil 1973;6;21-9.
- Resnick SM, Berenbaum SA, Gottesman II, Bouchard T. Early hormonal influences on cognitive functioning in congenital adrenal hyperplasia. Dev Psychol 1986;22;191-8.
- Helleday J, Bartfai A, Ritzen EM, Forsman M. General intelligence and cognitive profile in women with Congenital Adrenal Hyperplasia (CAH). Psychoneuroendocrinology 1994;19;343-56.
- Hines M, Fane BA, Pasterski VL, Mathews GA, Conway GS, Brook C. Spatial abilities following prenatal androgen abnormality: targeting and mental rotations performance in individuals with congenital adrenal hyperplasia. Psychoneuroendocrinology 2003; 28:1010-26.
- Downey J, Elkin EJ, Ehrhardt AA, Meyer-Bahlburg HF, Bell JJ, Morishima A. Cognitive ability and everyday functioning in women with Turner syndrome. J Learn Disabil 1991;24:32-9.
- Bender BG, Linden MG, Robinson A. Neuropsychological impairment in 42 adolescents with sex chromosome abnormalities. Am J Med Gen 1993;48:169 -73.
- Reiss AL, Freund L, Plotnick L. The effects of X monosomy on brain development: monozygotic twins discordant for Turner's syndrome. Ann Neurol 1993;34:95-107.
- Ross JL, Stefanatos G, Roeltgen D, Kushner H, Cutler GB. Ullrich-Turner syndrome: neurodevelopmental changes from childhood through adolescence. Am J Med Gen 1995;57:1-9.
- Rovet JF. The cognitive and neuropsychological characteristics of females with Turner syndrome. In: Berch DB, Bender BG, editors. Sex chromosome abnormalities and human behavior. Boulder: Westview Press, 1990; p. 38-77.
- 40. Rovet JF. The psychoeducational characteristics of children with Turner syndrome. J Learn Disabil 1993;26:333-41.
- Bruandet M, Molko N, Cohen L, Dehaene S. A cognitive characterization of dyscalculia in Turner syndrome. Neuropsychologia 2004;42:288-98.
- Salbenblatt JA, Meyers DC, Bender BG, Linden MS, Robinson A. Gross and fine motor development in 45,X and 47,XXX girls. Pediatrics 1989;84:678 -82.
- 43. Hines M. Prenatal gonadal hormones and sex differences in human behavior. Psychol Bull 1982;92:56-80.
- Ross JL, Roeltgen D, Stefanatos GA, Feuillan P, Kushner H, Bondy C, et al. Androgen-responsive aspects of cognition in girls with Turner syndrome. J Clin Endocrinol Metab 2003; 88:292-6.
- 45. Ross JL, Roeltgen D, Feuillan P, Kushner H, Cutler GB. Use of estrogen in young girls with Turner syndrome: effects on memory. Neurology 2000;54:164 -70.

- Shaywitz SE, Shaywitz BA, Pugh KR, Fulbright RK, Skudlarski P, Mencl WE, et al. Effect of estrogen on brain activation patterns in post-menopausal women during working memory tasks. JAMA 1999;281:1197-202.
- Maki PM, Resnick SM. Longitudinal effects of estrogen replacement therapy on PET cerebral blood flow and cognition. Neurobiol Aging 2000;21:373-83.
- Greene RA. Estrogen and cerebral blood flow: a mechanism to explain the impact of estrogen on the incidence and treatment of Alzheimer's disease. Int J Fertil Menopausal Stud 2000; 45:253-7.
- Rasgon NL, Small GW, Siddarth P, Miller K, Ercoli LM, Bookheimer SY, et al. Estrogen use and brain metabolic change in older adults. A preliminary report. Psychiatry Res 2001;107:11-8.
- 50. Azad N, Pitale S, Barnes WE, Friedman N. Testosterone treatment enhances regional brain perfusion in hypogonadal men. J Clin Endocrinol Metab 2003;88:3064–8.
- 51. Maki PM, Pich JB, Rosenbaum S. Implicit memory varies across the menstrual cycle: estrogen effects in young women. Neuropsychologia 2002;40:518-29.
- Drake EB, Henderson VW, Stanczyk FZ, McCleary CA, Brown WS, Smith CA, et al. Associations between circulating sex steroid hormones and cognition in normal elderly women. Neurology 2000;54:599–603.
- Rosenberg L, Park S. Verbal and spatial functions across the menstrual cycle in healthy young women. Psychoneuroendocrinology 2002;27:835-41.
- Phillips SM, Sherwin BB. Variations in memory function and sex steroid hormones across the menstrual cycle. Psychoneuroendocrinology 1992;17:497–506.
- 55. Gordon HW, Lee PA. No difference in cognitive performance between phases of the menstrual cycle. Psychoneuroendocrino-logy 1993;18:521-31.
- 56. Vila M, Peláez T, García-Parés G, Cobo JV, Rodríguez A, Jodar VM. Alteraciones cognitivas durante el embarazo. Correlación con variables clínicas y hormonales. 6th Annual Scientific Meeting European Association for Consultation-Liaison Psychiatry and Psychosomatics/ XXXVIII Congreso Sociedad Española Medicina Psicosomática. Zaragoza, 18-20 Sept-2003.
- 57. Hier DB, Crowley WF Jr. Spatial ability in androgen-deficient men. New Engl J Med 1982;306:1202-5.
- Hogervorst E, Williams J, Budge M, Riedel W, Jolles J. The nature of the effect of female gonadal hormone replacement therapy on cognitive function in post-menopausal women: a metaanalysis. Neuroscience 2000;101:485-512.
- LeBlanc ES, Janowsky J, Chan BK, Nelson HD. Hormone replacement therapy and cognition: systematic review and metaanalysis. JAMA 2001;285:1489-99.
- 60. Hogervorst E, Yaffe K, Richards M, Huppert F. Hormone replacement therapy for cognitive function in postmenopausal women. Cochrane Database Syst Rev 2002;(3):CD003122.
- 61. Shumaker SA, Legault C, Rapp SR, Thal L, Wallace RB, Ockene JK, et al. Estrogen plus progestin and the incidence of dementia and mild cognitive impairment in postmenopausal women. The Women's Health Initiative Memory Study: a randomized Controlled Trial. JAMA 2003;289:2651-62.
- 62. Rapp SR, Espeland MA, Shumaker SA, Henderson VW, Brunner RL, Manson JE, et al. Effect of estrogen plus progestin on global

cognitive function in postmenopausal women. The Women's Health Initiative Memory Study: a randomized Controlled Trial. JAMA 2003;289:2663-72.

- Vidal A, Gómez E, Peri JM. Psicopatología y trastorno de la identidad sexual. Rev Psiquiatria Facultad Medicina Barcelona 2003; 30:147-51.
- 64. Van Goozen SH, Cohen-Kettenis PT, Gooren LJ, Frijda NH, van de Poll EN. Activating effects of androgens on cognitive performance: causal evidence in a group of female-to-male transsexuals. Neuropsychologia 1994;32:1153-7.
- 65. Van Goozen SH, Cohen-Kettenis PT, Gooren ⊔, Frijda NH, van de Poll NE. Gender differences in behaviour: activating effects of cross-sex hormones. Psychoneuroendocrinology 1995;20:343-63.
- 66. Miles C, Green R, Sanders G, Hines M. Estrogen and memory in a transsexual population. Horm Behav 1998;34:199-208.
- Slabbekoorn D, van Goozen SH, Megens J, Gooren LJ, Cohen-Kettenis PT. Activating effects of cross-sex hormones on cognitive functioning: a study of short-term and long-term hormone effects in transsexuals. Psychoneuroendocrinology 1999;24: 423-4.